

AVIKO B.V.

Burg. Smitstraat 2 7221 BJ Steenderen - Nederland Tel. 31 (0)575 458200

Postbus 8 7220 AA Steenderen - Nederland

# Productspecification Aviko Pom' Croquettes 4x2500g

# **General Information**

Canana	Information

Product description	Potato croquettes, quick-frozen.
Process description	This product is made of mashed potatoes, mixed with other ingredients, formed, breaded, quick frozen and packed.
Potatoes - comment	The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.
Brand	Aviko
Article number	600520
SF-number	830120
Intra stat number	2004109900



# Ingredient declaration

### Ingredient declaration

Ingredients: potatoes, breadcrumbs (WHEAT flour, yeast, salt, spices), salt, WHEAT flour, stabiliser (E464), spices, onion powder.

# **Quality Parameters**

### **Physical**

	N	1in.	Target	Max.	Comment
Breakage	% w/w		0	3	
Length	mm	49	55	61	
Diameter	mm	19.5	24	28.5	
Number per kg	n/kg	35	41	49	
Weight per piece	G	19.5	24	28.5	
Form and/or cutsize deviations	% w/w		0	3	

### **Chemical properties**

			Min.	Target	Max.	Comment
Moisture content	Halogen dryer	%	67	70	73	

### **Microbiological properties**

			Min.	Target	Max.	Comment
Aerobic plate count	end of shelflife	cfu/g			500,000	
Enterobacteriaceae	end of shelflife	cfu/g			1,000	
Staphylococcus Coagulase Positive	end of shelflife	cfu/g			500	
Salmonella	end of shelflife	cfu/25g			0	
Escherichia coli	end of shelflife	cfu/g			100	

## **Sensorical properties**

Min.	Target	Max.	Comment

**Sensorical properties - Colour USDA** 

Specification version: 21

Date of standard : 7/26/2021 11:50:22 AM 12/22/2023 3:26:33 PM Issue date:

© AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

	UOM	Value	Description
Colour unprepared	USDA	0-1	Golden yellow
Colour prepared	USDA	max. 3	Golden brown

### **USDA-colour card**

USDA-colour card, Munsell Colour Company.

(treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil).

### **Texture**

Crispy crust with a uniform smooth inside of mashed potatoes.

#### Odour

A pleasant odour, characteristic for deep fried potatoes.

#### Taste

A pleasant taste, characteristic for deep fried potatoes.

# **Nutrition**

### **Nutritional data EU**

Nutrient	Attribute	UOM	per 100g as sold	%RI
Energy	kJ	kJ	506	
Energy	kCal	kcal	119	6
Fat		G	0.2	0
Fat of which	Saturated	G	0.1	1
Carbohydrates		G	26	10
Carbohydrates of which	Sugars	G	0.2	0.2
Dietary fibre		G	2.7	
Protein		G	2.5	5
Salt		G	0.8	13

# Allergens

### Allergens (annex II EU regulation 1169/2011)

Allergen	To Declare	Not present	Present	May Contain Concentration in ppm	Remarks
Cereals containing gluten					
Wheat			Ø		
Crustacaeans and products thereof		V			
Eggs and products thereof		V			
Fish and products thereof		V			
Peanuts and products thereof		V			
Soybeans and products thereof		V			
Milk and products thereof		V			
Nuts and products thereof		V			
Celery and products thereof		V			
Mustard and products thereof		V			
Sesame seeds and products thereof		V			
Sulphur dioxide and sulpithes >10 ppm		V			
Lupine and products thereof		V			
Mollucs and products thereof		V			

# Storage/transport conditions

# Storage conditions

Storage:  $-18^{\circ}C$  until end of shelf life. Do not refreeze after thawing.

	UOM	Value
Temperature product during storage	°C	max18
Delivery temperature	°C	max18

Specification version : 21

Date of standard : 7/26/2021 11:50:22 AM Issue date : 12/22/2023 3:26:33 PM

### **Shelf life**

	Code
Storage life in days	730
Min. rem. shelf life/day at time of loading	182

# Coding

Lotcode, expiry date, packaging content/weight, product description

# Packaging details

# Packaging details [Consumer unit]

# General information

	Туре	
EAN code		8710449126101
Material type	Pillow	
Green point	Yes	
Composition	LD-PE	

### **Dimensions**

	Value	UOM	Length	Width	Height
Consumer unit		mm	480	300	50

# Packaging details [Box]

### **General information**

	Туре		
EAN code		8710 <del>44</del> 9991303	
Material type	Regular slotted box		
Material category	Corrugated cardboard		
Green point	No		

### Dimensions

	Value	UOM	Length	Width	Height
Box external practical		mm	393	261	225

# Packaging details [Pallet]

### **General information**

	Туре		
Material type	Pallet		
Dimensions			

	Value	UOM	Length	Width	Height
Dimensions material		mm	1,200	800	144

# Packaging details [Full pallet]

### Pallet details

	UOM	Value	
# units per layer		9	
# layers per pallet		8	
# units per pallet		72	
Calculated pallet height	cm	195	

# **Consumer information**

## **Cooking instruction fryer**

Max. 175°C, portion approx. 500g, 3-3½ min.

Specification version: 21

Date of standard : 7/26/2021 11:50:22 AM Issue date : 12/22/2023 3:26:33 PM

© AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

### **Claims**

### Claims diet

Property	Suitable for	Comment
Ovo-lacto vegetarian		
Vegan	Ø	

# Legal Requirements

### **GMO** statement

Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.

### weight registration e-symbol

Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

#### **Pesticides statement**

Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.

### **Statement on contaminants**

Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 1881/2006, setting maximum levels for certain unwanted components.

# Other requirements

### **Sampling**

In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of I kg is taken to judge the quality.

### **Quality Management Systems**

The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.

### Disclaimer

This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.

# Signature

### Signature General Quality Manager Aviko-group

Ing. T.H.M.S. (Simone) Nelissen

Specification version: 21

Date of standard : 7/26/2021 11:50:22 AM Issue date : 12/22/2023 3:26:33 PM